UNIFIED PROGRAM CONSOLIDATED FORM



CITY OF ANAHEIM FIRE DEPARTMENT ENTERED ENVIRONMENTAL PROTECTION SECTION

201 S. ANAHEIM BOULEVARD, SUITE 300, ANAHEIM, CA 92805 PHONE: (714) 765-4040 FAX: (714) 765-4608

AUG 1 4 2008

BUSINESS ACTIVITIES FACILITY INFORMATION

DB	TI	DE	N. 11 . a	
				1

D---1-C 1

HACILITY IDENTIFICATION FACILITY IDENTIFICATION			Page 1 of _1						
BUSINESS NAME (Same as Facility Name of DBA-Doing Business As) Allied Pacific Metal Stamping Inc. IL ACTIVITIES DECLARATION NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page. Does your facility. Does your facility. A. HAZARDOUS MATERIALS Does your facility. Does your facility. A. HAZARDOUS MATERIALS INVENTORY 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for cubic feet for decided gases (include liquids in AST15 500 pounds for solids, or 200 cubic feet for cubic feet for decided gases (include liquids in AST15 500 pounds feet for cubic feet for cubic feet for decided	L FACILITY IDEN								
Allied Pacific Metal Stamping Inc. NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page. Does your facility	FACILITY ID#								
IL ACTIVITIES DECLARATION NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page. Does your facility	BUSINESS NAME (Same as Facility Name of DBA-Doing Business As)	<u>'</u>	3						
NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page. Does your facility A. HAZARDOUS MATERIALS Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds fire solids, or 200 cubic feet for compressed gases (include liquids in ASTs and UST); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 35, 40, or 70? B. UNDERGROUND STORAGE TANKS (USTs) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST? C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds:	Allied Pacific Metal Stamping Inc.								
Does your facility A. HAZARDOUS MATERIALS Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids in ASTs and USTs), or the applicable Federal threshold quantity for an extremely hazardous substance specials or 200 cubic for 64 ro compressed gases (include liquids in ASTs and USTs), or the applicable Federal threshold quantity for an extremely hazardous substance specials or 200 cubic for 40 CPR PATS 35, Appendix A or B, so handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR B. UNDERGROUND STORAGE TANKS (USTs) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST? C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds: —any tank capacity is greater than 605 gallons, or —the total capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS WASTE 1. Generate hazardous waste? 2. Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 23143.2)? 3. Treat hazardous waste on site? 4. Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the eleasure/removal of a tank that was classified as hazardous waste and eleaned onsite? 1. CALL RECUIREMENTS 1. Capacity and the conductive data and conduction of the conductive data and co	IL ACTIVITIES DECLARATION								
Does your facility A HAZARDOUS MATERIALS Have on site (for any purpose) hazardous materials at or above 55 gallons for Equids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTS); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70? B. UNDERGROUND STORAGE TANKS (USTs) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST? C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds: —asy tank capacity is greater than 60 gallons, or—the total capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS WASTE 1. Generate hazardous waste on site? A Recycle more than 100 kg/nonth of excluded or exempted recyclable materials (per 11SC 25143,2)? Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? S. Consolidate hazardous waste generated at a remote site? E. LOCAL REOUREMENTS If Yes, please complete these pages of the UPCF 4 HAZARDOUS MATERIALS INVENTORY—CHEMICAL DESCRIPTION 4 CONSOLIDATED CONTINGENCY PLAN (Science patch) 4 CONSOLIDATED CONTINGENCY PLAN (Science patch) 4 CONSOLIDATED CONTINGENCY PLAN (Science patch) 4 UST TANK (Geoper bank) 4 UST TANK									
A. HAZARDOUS MATERIALS Have on site (fits any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs), or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 353, Appendix A or B, or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70? B. UNDERGROUND STORAGE TANKS (USTs) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST? C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds: —any tank capacity is greater than 660 gallors, or —the total capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS WASTE 1. Generate hazardous waste on site? D. HAZARDOUS WASTE 2. Recycle more than 100 kg/morth of excluded or exempted recyclable materials (per BSC 25143.2)? 3. Treat hazardous waste on site? A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste contained. A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste contained. A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste contained. A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste contained. A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste contained. A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste contained. Consolidate hazardous waste contained as a family of the part of the contain	please submit the Business Owner/Operator Identification page.								
Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTS and USTS); or the applicable Federal threshold quantity for an externely hazardous substance specified in 40 CFR Part 355, Appendix A or B, or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Part 30, 40 or 70? B. UNDERGROUND STORAGE TANKS (USTS) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST? C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTS) Own or operate ASTs above these thresholds: —any tank capacity is greater than 660 gallons, or —the total capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS MASTE 1. Generate hazardous waste on site? A Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned oncite? E. LOCAL REQUIREMENTS 4 HAZARDOUS MATERIALS INVENTORY – CHEMICAL DESCRIPTION 4 CONSULDATION (Section 1 and Site Map(s)) 4 TRAINING (Section 1 and Site Map(s)) 4 TRAINING (In a Consolidate In admits the Map(s)) 4 TRAINING (Section 1 and Site Map(s)) 4 TRAINING (PLAN (Section 1 and Site Map(s)) 4 TRAINING		If Yes, please complete these pages of the UPCF							
500 pounds for solids, or 700 cubic feet for compressed gases (include liquids in ASTs and USTS); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 353, Appendix A or B, or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70? D. INDERGROUND STORAGE TANKS (USTS) YES NO 5	A. HAZARDOUS MATERIALS								
YES	500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR	⊠ YES □ NO 4	- CHEMICAL DESCRIPTION 4 CONSOLIDATED CONTINGENCY PLAN (Section I and Site Map(s))						
2. Intend to upgrade existing or install new USTs? YES NO 6 YES NO 6 YES NO 6 YES NO 7 YES NO 7 YES NO 7 YES NO 7 YES YES NO 7 YES YE			4UST FACILITY						
3. Need to report closing a UST? YES NO 7 AUST TANK (one per tank)	Own or operate underground storage tanks?	☐ YES ☒ NO 5	4UST TANK (one page per tank)						
3. Need to report closing a UST? C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds: —any tank capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS WASTE 1. Generate hazardous waste? E. Consolidate hazardous waste generated at a remote site? A West or poer the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? A WEST INSTALLATION - CERTIFICATE OF COMPLIANCE (one page per tank) 4 UST TANK (doesure portion—one page per tank) 5 NO FORM REQUIRED TO CUPAS 4 EPA ID NUMBER — provide at the top of this page. 4 As a generator, answer VES to ltem E2b and complete Waste Generator Form. 4 PREVILABLE MATERIALS REPORT 4 ONSITE HAZARDOUS WASTE TREATMENT — FACILITY 4 ONSITE HAZARDOUS WASTE TREATMENT — FACILITY 4 ONSITE HAZARDOUS WASTE TREATMENT — TACILITY 4 ONSITE HAZARDOUS WASTE TREATMENT—UNIT (one page per unit) 5 Consolidate hazardous waste generated at a remote site? 5 No 13 6 Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? E LOCAL REQUIREMENTS	2. Intend to upgrade existing or install new USTs?	☐ YES ☒ NO 6	4UST FACILITY						
C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTS) Own or operate ASTs above these thresholds: —any tank capacity is greater than 660 gallons, or —the total capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS WASTE 1. Generate hazardous waste? D. HAZARDOUS WASTE 2. Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 25143.2)? 3. Treat hazardous waste on site? 4. Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? E. LOCAL REQUIREMENTS NO FORM REQUIRED TO CUPAS A EPA ID NUMBER – provide at the top of this page. 4 EPA ID NUMBER – provide at the top of this page. 4 EPA ID NUMBER – provide at the top of this page. 4 As a generator, answer YES to Item E2b and complete Waste Generator Form. 4 PRECYCLABLE MATERIALS REPORT 4 ONSITE HAZARDOUS WASTE TREATMENT – FACILITY 4 ONSITE HAZARDOUS WASTE TREATMENT – FOLLITY 5 NO 12 4 RECYCLABLE MATERIALS REPORT 4 ONSITE HAZARDOUS WASTE TREATMENT – FOLLITY 5 NO 12 4 REMOTE WASTE / CONSOLIDATION 5	3. Need to report closing a UST?	TIVES MINO 7	4UST INSTALLATION - CERTIFICATE OF COMPLIANCE (one page per tank)						
Own or operate ASTs above these thresholds: —any tank capacity is greater than 660 gallons, or —the total capacity for the facility is greater than 1,320 gallons? D. HAZARDOUS WASTE 1. Generate hazardous waste? YES NO 9	. •	LILE ZINO /							
D. HAZARDOUS WASTE 1. Generate hazardous waste? A EPA ID NUMBER – provide at the top of this page.	Own or operate ASTs above these thresholds: any tank capacity is greater than 660 gallons, or	☐ YES ⊠ NO 8	NO FORM REQUIRED TO CUPAs						
1. Generate hazardous waste? A yes No 9		ļ							
YES NO 9 Page. 4 As a generator, answer YES to Item E2b and complete Waste Generator Form.			4 EPA ID NUMBER – provide at the top of this						
Treat hazardous waste on site? YES NO 10		⊠ YES □ NO 9	page. 4 As a generator, answer YES to Item E2b						
3. Treat hazardous waste on site? YES NO 11 4 ONSITE HAZARDOUS WASTE TREATMENT - FACILITY 4 ONSITE HAZARDOUS WASTE TREATMENT - UNIT (one page per unit) 4 CERTIFICATION OF FINANCIAL ASSURANCE 4 REMOTE WASTE / CONSOLIDATION SITE ANNUAL NOTIFICATION SITE ANNUAL NOTIFICATION 4 HAZARDOUS WASTE TANK CLOSURE CERTIFICATION YES NO 13 SITE ANNUAL NOTIFICATION 4 HAZARDOUS WASTE TANK CLOSURE CERTIFICATION		DVEC 50 NO 10	A DECYCI ADI E MATEDIAI S DEDODT						
4. Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? 6. LOCAL REQUIREMENTS TREATMENT - FACILITY 4 ONSITE HAZARDOUS WASTE TREATMENT - UNIT (one page per unit) 4 CERTIFICATION OF FINANCIAL ASSURANCE 4 REMOTE WASTE / CONSOLIDATION SITE ANNUAL NOTIFICATION 4 HAZARDOUS WASTE TANK CLOSURE CERTIFICATION		1							
Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? E. LOCAL REQUIREMENTS ASSURANCE 4 REMOTE WASTE / CONSOLIDATION SITE ANNUAL NOTIFICATION 4 HAZARDOUS WASTE TANK CLOSURE CERTIFICATION 15		L IES & NO II	4 ONSITE HAZARDOUS WASTE						
6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? E. LOCAL REQUIREMENTS SITE ANNUAL NOTIFICATION 4 HAZARDOUS WASTE TANK CLOSURE CERTIFICATION 5 No 14		☐ YES ☒ NO 12							
6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? E. LOCAL REQUIREMENTS YES NO 14 HAZARDOUS WASTE TANK CLOSURE CERTIFICATION	5. Consolidate hazardous waste generated at a remote site?	☐YES ☒ NO 13							
E. LOCAL REQUIREMENTS 15		☐ YES ☒ NO 14	4 HAZARDOUS WASTE TANK CLOSURE						
	E. LOCAL REOUIREMENTS								
OFFICIAL USE ONLY UP Form HW HM ARP AST UST TP CUPA PA									
	OFFICIAL USE ONLY LIP Form LHW LHM LARP	AST UST	TP CUPA PA						